

Legend

- Draft Order Limits
- Noise Assessment Locations (NALs)
- Modelled Noise Sources
- Modelled Buildings
- Modelled 3D Reflectors (Solar Panels)

Predicted Noise Levels (dB)

	20-25		45-50
	25-30		50-55
	30-35		55-60
	35-40		60-65
	40-45		

Noise contours modelled in accordance with ISO 9613 Part 2:2024 at a height of 4 m and displayed on a 50 m by 50 m grid. All noise sources assumed to be operating concurrently. All levels shown as dB LAeq(t).


Figure 12.2 - Daytime Operational Noise Contour Plot

Project Name: Mylen Leah Solar Farm

Drawn By: KB	Checked By: MS
-----------------	-------------------



Page centre: X: 475689 Y: 441901	Revision no. R3	Date: 26/03/2026
--	--------------------	---------------------



Legend

- Draft Order Limits
- Noise Assessment Locations (NALs)
- Modelled Noise Sources
- Modelled Buildings
- Modelled 3D Reflectors (Solar Panels)


Predicted Noise Levels (dB)

	20-25		45-50
	25-30		50-55
	30-35		55-60
	35-40		60-65
	40-45		

Noise contours modelled in accordance with ISO 9613 Part 2:2024 at a height of 4 m and displayed on a 50 m by 50 m grid. All noise sources assumed to be operating concurrently. All levels shown as dB LAeq(t).

Figure 12.2a - Daytime Operational Noise Contour Plot

Project Name: Mylen Leah Solar Farm		
Drawn By: KB	Checked By: MS	
Page centre: X: 473247 Y: 440705	Revision no. R3	Date: 26/03/2026



Legend

- Draft Order Limits
- Noise Assessment Locations (NALs)
- Modelled Noise Sources
- Modelled Buildings
- Modelled 3D Reflectors (Solar Panels)


Predicted Noise Levels (dB)

	20-25		45-50
	25-30		50-55
	30-35		55-60
	35-40		60-65
	40-45		

Noise contours modelled in accordance with ISO 9613 Part 2:2024 at a height of 4 m and displayed on a 50 m by 50 m grid. All noise sources assumed to be operating concurrently. All levels shown as dB LAeq(t).

Figure 12.2b - Daytime Operational Noise Contour Plot

Project Name: Mylen Leah Solar Farm		
Drawn By: KB	Checked By: MS	
Page centre: X: 474886 Y: 441875	Revision no. R3	Date: 26/03/2026



Legend

- Draft Order Limits
- Noise Assessment Locations (NALs)
- Modelled Noise Sources
- Modelled Buildings
- Modelled 3D Reflectors (Solar Panels)

Predicted Noise Levels (dB)

	20-25		45-50
	25-30		50-55
	30-35		55-60
	35-40		60-65
	40-45		

Noise contours modelled in accordance with ISO 9613 Part 2:2024 at a height of 4 m and displayed on a 50 m by 50 m grid. All noise sources assumed to be operating concurrently. All levels shown as dB LAeq(t).

Figure 12.2c - Daytime Operational Noise Contour Plot

Project Name: Mylen Leah Solar Farm	
Drawn By: KB	Checked By: MS
Page centre: X: 476459 Y: 441851	Revision no. R3
Date: 26/03/2026	