



- Site Boundary
 - Proposed Turbine Location
 - 6 x 4 Separation Distance
 - Slope > 14%
 - Heritage Feature
 - Scheduled Monument
 - Cultural Heritage Feature Constraint
 - 500 m Merlin Nest Buffer
 - 50m Buffer of Watercourses
 - 800m Buffer of Residential Properties
 - 150m Buffer of Roads
 - Wild Land Area
 - Ramsar Site
 - Site of Special Scientific Interest
 - Special Protection Area
 - Special Areas of Conservation
 - Residential Property
- Interpolated Peat Depths (m)
- 0 - 0.50
 - 0.51 - 1.00
 - 1.01 - 1.50
 - 1.51 - 2.00
 - 2.01 - 2.50
 - 2.51 - 3.00
 - 3.01 - 3.50
 - 3.51 - 4.00
 - 4.01 - 4.50
 - 4.51 - 5.00
 - 5.01 - 5.50

1:25,000 Scale @ A3

Produced By: HW	Ref: 3138-REP-096
Checked By: HK	Date: 14/10/2020

**Design Evolution -
 Design Day 1**
 Figure 3.1c

**Ackron Wind Farm
 EIA Report**

Reproduced from Ordnance Survey digital map data © Crown copyright 2020. All rights reserved. License number 100048606

Contains OS data © Crown Copyright and database right 2020