




Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing



OS reference: 331020 848154
 Eye Level: 464m AOD
 Direction of view: 59°
 Distance to Development: 14.66km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 28/11/2020 13:41





Figure: 5.13d
 Viewpoint 5: Ben Aigan



Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length



OS reference:	331020 848154	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	464m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	149°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	14.66km	Correct printed image size:	820 x 260 mm	Date and time:	28/11/2020 13:41





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red




Wind Farm Status
Turbine Colour Key

- Operational
- Consented
- Application
- Scoping

OS reference: 325512 835451
Eye Level: 819m AOD
Direction of view: 91°
Distance to Development: 12.17km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 14:43






Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 325512 835451
 Eye Level: 819m AOD
 Direction of view: 181°
 Distance to Development: 12.17km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 14:43



Wind Farm Status
 Turbine Colour Key



Figure 5.14b
 Viewpoint 6: Ben Rinnes






Figure: 5.14c
Viewpoint 6: Ben Rinnes
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




OS reference: 325512 835451
Eye Level: 819m AOD
Direction of view: 91°
Distance to Development: 12.17km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 14:43



Dorenell




Wireline Drawing



OS reference: 325512 835451
Eye Level: 819m AOD
Direction of view: 181°
Distance to Development: 12.17km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 14:43



Wind Farm Status
Turbine Colour Key




Figure: 5.14d
Viewpoint 6: Ben Rinnes



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Figure: 5.14e
Viewpoint 6: Ben Rinnes
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




Wind Farm Status
Turbine Colour Key

Operational	Consented	Application	Scoping

OS reference: 325512 835451
Eye Level: 819m AOD
Direction of view: 271°
Distance to Development: 12.17km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 06/11/2020 14:43





Baseline Photograph

This image provides landscape and visual context only



Photomontage Wireline Drawing


View from a comfortable eye height



OS reference: 325512 835451
 Eye Level: 819m AOD
 Direction of view: 1°
 Distance to Development: 12.17km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 06/11/2020 14:43



Wind Farm Status
 Turbine Colour Key



Figure 5.14f
 Viewpoint 6: Ben Rinnes



Wireline

View flat at a comfortable arm's length






Photomontage

View flat at a comfortable arm's length

OS reference:	325512 835451	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	819m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	91°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	12.17km	Correct printed image size:	820 x 260 mm	Date and time:	06/11/2020 14:43





Wireline

View flat at a comfortable arm's length





Photomontage Showing Aviation Lighting During Dusk-light Hours

View flat at a comfortable arm's length

OS reference:	325512 835451	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	819m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	91°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	12.17km	Correct printed image size:	820 x 260 mm	Date and time:	06/11/2020 14:43








Figure: 5.15a
Viewpoint 7: Corryhabbie Hill
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report





OS reference: 328220 828974
Eye Level: 781m AOD
Direction of view: 60°
Distance to Development: 12.25km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 25/11/2020 11:24






OS reference: 328220 828974
 Eye Level: 781m AOD
 Direction of view: 150°
 Distance to Development: 12.25km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 25/11/2020 11:24




Wind Farm Status
 Turbine Colour Key





Wireline Drawing - Proposed Craig Watch Turbines Shown In Red


Figure: 5.15c
 Viewpoint 7: Corryhabbie Hill
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report



OS reference: 328220 828974
 Eye Level: 781m AOD
 Direction of view: 60°
 Distance to Development: 12.25km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 25/11/2020 11:24




Cornabo


Craignell

Dorenell

Kildrummy




Wireline Drawing



OS reference: 328220 828974
 Eye Level: 781m AOD
 Direction of view: 150°
 Distance to Development: 12.25km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 25/11/2020 11:24



Wind Farm Status
 Turbine Colour Key




Figure: 5.15d
 Viewpoint 7: Corryhabbie Hill



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Tom Nan Clach




Wind Farm Status
Turbine Colour Key


			
Operational	Consented	Application	Scoping

OS reference: 328220 828974
Eye Level: 781m AOD
Direction of view: 240°
Distance to Development: 12.25km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 25/11/2020 11:24






OS reference: 328220 828974
 Eye Level: 781m AOD
 Direction of view: 330°
 Distance to Development: 12.25km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 25/11/2020 11:24



Wind Farm Status
 Turbine Colour Key



Figure: 5.15f
 Viewpoint 7: Corryhabbie Hill



Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length

OS reference:	328220 828974	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	781m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	60°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	12.25km	Correct printed image size:	820 x 260 mm	Date and time:	25/11/2020 11:24




Figure: 5.15h
Viewpoint 7: Corryhabbie Hill
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red

Figure: 5.16a
Viewpoint 8: Little Geal Charn
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




Wind Farm Status
Turbine Colour Key

- Operational (Green)
- Consented (Blue)
- Application (Red)
- Scoping (Orange)

OS reference: 329879 819708
 Eye Level: 742m AOD
 Direction of view: 30°
 Distance to Development: 16.47km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 26/11/2020 14:14






Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing




OS reference: 329879 819708
 Eye Level: 742m AOD
 Direction of view: 120°
 Distance to Development: 16.47km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera:
 Lens:
 Camera height:
 Date and time:

Nikon D750
 50mm (Nikon AF 50mm f/1.4)
 1.5m AGL
 26/11/2020 14:14



Wind Farm Status
 Turbine Colour Key




Figure: 5.16b
 Viewpoint 8: Little Geal Charn



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Figure: 5.16c
Viewpoint 8: Little Geal Charn
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report




Wind Farm Status
Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 329879 819708
Eye Level: 742m AOD
Direction of view: 210°
Distance to Development: 16.47km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm


Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 26/11/2020 14:14






Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 329879 819708
 Eye Level: 742m AOD
 Direction of view: 300°
 Distance to Development: 16.47km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 26/11/2020 14:14



Wind Farm Status
 Turbine Colour Key





Wireline

View flat at a comfortable arm's length






Photomontage

View flat at a comfortable arm's length


OS reference: 329879 819708
 Eye Level: 742m AOD
 Direction of view: 30°
 Distance to Development: 16.47km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 260 mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 26/11/2020 14:14

 Denotes Location Of Borrow Pit Search Area





Wireline

View flat at a comfortable arm's length





Photomontage Showing Aviation Lighting During Dusk-light Hours

View flat at a comfortable arm's length

OS reference:	329879 819708	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	741m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	30°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	16.47km	Correct printed image size:	820 x 260 mm	Date and time:	26/11/2020 14:14





Baseline Photograph

This image provides landscape and visual context only




Figure: 5.17a
Viewpoint 9: The Buck
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report



OS reference: 341223 823399
Eye Level: 721m AOD
Direction of view: 348°
Distance to Development: 11.14km

Horizontal field of view: (90° cylindrical projection)
Principal distance: 812.5mm

Camera: Nikon D750
Lens: 50mm (Nikon AF 50mm f/1.4)
Camera height: 1.5m AGL
Date and time: 05/11/2020 13:34

