

Wireline Drawing - Proposed Craig Watch Turbines Shown In Red

Figure: 3.29a
 Cultural Heritage Viewpoint 1: Auchindoun Castle
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report



OS reference: 334912 837459
 Eye Level: 282m AOD
 Direction of view: 121°
 Distance to Development: 4.05km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:02






Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 334912 837459
 Eye Level: 282m AOD
 Direction of view: 211°
 Distance to Development: 4.05km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:02




Wind Farm Status
 Turbine Colour Key





Baseline Photograph





This image provides landscape and visual context only



Wireline Drawing




Wind Farm Status
 Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 334912 837459
 Eye Level: 282m AOD
 Direction of view: 301°
 Distance to Development: 4.05km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:02





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 334912 837459
 Eye Level: 282m AOD
 Direction of view: 31°
 Distance to Development: 4.05km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 15:02



Wind Farm Status
 Turbine Colour Key






Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length


OS reference:	334912 837459	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	282m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	121°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	4.05km	Correct printed image size:	820 x 260 mm	Date and time:	05/11/2020 15:02





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red




Wind Farm Status
 Turbine Colour Key

- ⚙️ Operational
- ⚙️ Consented
- ⚙️ Application
- ⚙️ Scoping

OS reference: 348405 829323
 Eye Level: 563m AOD
 Direction of view: 302°
 Distance to Development: 10.86km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 11:33






Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 348405 829323
 Eye Level: 563m AOD
 Direction of view: 32°
 Distance to Development: 10.86km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 11:33



Wind Farm Status
 Turbine Colour Key



Figure 3.21b
 Cultural Heritage Viewpoint 2: Tap o'Noth



Wireline Drawing

Figure: 3.21c
 Cultural Heritage Viewpoint 2: Tap o'Noth
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




Wind Farm Status
 Turbine Colour Key

Operational	Consented	Application	Scoping

OS reference: 348405 829323
 Eye Level: 563m AOD
 Direction of view: 122°
 Distance to Development: 10.86km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 11:33





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 348405 829323
 Eye Level: 563m AOD
 Direction of view: 212°
 Distance to Development: 10.86km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 05/11/2020 11:33



Wind Farm Status
 Turbine Colour Key






Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length

OS reference:	348405 829323	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	563m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	302°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	10.86km	Correct printed image size:	820 x 260 mm	Date and time:	05/11/2020 11:33





Baseline Photograph

This image provides landscape and visual context only




Figure: 3.12a
 Cultural Heritage Viewpoint 3: Jock's Hill (view including Auchindoun Castle)
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




Wind Farm Status
 Turbine Colour Key

Operational Consented Application Scoping

OS reference: 331504 836389
 Eye Level: 474m AOD
 Direction of view: 100°
 Distance to Development: 6.44km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 16/01/2022 11:51





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 331504 836389
 Eye Level: 474m AOD
 Direction of view: 190°
 Distance to Development: 6.44km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 16/01/2022 11:51



Wind Farm Status
 Turbine Colour Key



Figure: 3.12b






Figure: 3.12c
 Cultural Heritage Viewpoint 3: Jock's Hill (view including Auchindoun Castle)
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report



OS reference: 331504 836389
 Eye Level: 474m AOD
 Direction of view: 280°
 Distance to Development: 6.44km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 16/01/2022 11:51





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 331504 836389
 Eye Level: 474m AOD
 Direction of view: 10°
 Distance to Development: 6.44km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 16/01/2022 11:51



Wind Farm Status
 Turbine Colour Key



Figure 3.12d



Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length

OS reference:	331504 836389	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	474m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	100°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	6.44km	Correct printed image size:	820 x 260 mm	Date and time:	16/01/2022 11:51




Figure: 3.12f
 Cultural Heritage Viewpoint 3: Jock's Hill (view including Auchindoun Castle)
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red



Wind Farm Status
 Turbine Colour Key

Operational	Consented	Application	Scoping

OS reference: 334610 837490
 Eye Level: 282m AOD
 Direction of view: 119°
 Distance to Development: 4.28km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:37





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 334610 837490
 Eye Level: 282m AOD
 Direction of view: 209°
 Distance to Development: 4.28km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:37



Wind Farm Status
 Turbine Colour Key





Wireline Drawing
Figure: 3.13c
 Cultural Heritage Viewpoint 4: Auchindoun Castle (on approach)
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report



Wind Farm Status
 Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 334610 837490
 Eye Level: 282m AOD
 Direction of view: 299°
 Distance to Development: 4.28km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:37





Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 334610 837490
 Eye Level: 282m AOD
 Direction of view: 29°
 Distance to Development: 4.28km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:37



Wind Farm Status
 Turbine Colour Key



Figure: 3.13d



Wireline

View flat at a comfortable arm's length





Photomontage

View flat at a comfortable arm's length


OS reference:	334610 837490	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	282m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	119°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	4.28km	Correct printed image size:	820 x 260 mm	Date and time:	22/11/2021 13:37





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red


Figure: 3.14a
 Cultural Heritage Viewpoint 5: Auchindoun Castle (from southern entrance)
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report



OS reference: 334890 837449
 Eye Level: 297m AOD
 Direction of view: 120°
 Distance to Development: 4.06km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:49






Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 334890 837449
 Eye Level: 297m AOD
 Direction of view: 210°
 Distance to Development: 4.06km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:49



Wind Farm Status
 Turbine Colour Key




Figure: 3.14b



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Figure: 3.14c
 Cultural Heritage Viewpoint 5: Auchindoun Castle (from southern entrance)
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report



Wind Farm Status
 Turbine Colour Key


			
Operational	Consented	Application	Scoping

OS reference: 332922 840010
 Eye Level: 168m AOD
 Direction of view: 300°
 Distance to Development: 7.28km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:49






OS reference: 332922 840010
 Eye Level: 168m AOD
 Direction of view: 30°
 Distance to Development: 7.28km


Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 22/11/2021 13:49



Wind Farm Status
 Turbine Colour Key





Wireline

View flat at a comfortable arm's length






Photomontage

View flat at a comfortable arm's length

OS reference:	332922 840010	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	168m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	129°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	7.28km	Correct printed image size:	820 x 260 mm	Date and time:	22/11/2021 13:49





Wireline Drawing - Proposed Craig Watch Turbines Shown In Red

Figure: 3.15a
 Cultural Heritage Viewpoint 6: Balvenie Castle
Craig Watch Wind Farm Environmental Impact Assessment (EIA) Report




Wind Farm Status
 Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 332598 840894
 Eye Level: 168m AOD
 Direction of view: 133°
 Distance to Development: 8.17km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm






Wireline Drawing




OS reference: 332598 840894
 Eye Level: 168m AOD
 Direction of view: 223°
 Distance to Development: 8.17km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm



Wind Farm Status
 Turbine Colour Key





Wireline Drawing

Figure: 3.15c
Cultural Heritage Viewpoint 6: Balvenie Castle





Wind Farm Status
Turbine Colour Key

			
Operational	Consented	Application	Scoping

OS reference: 332598 840894
 Eye Level: 168m AOD
 Direction of view: 313°
 Distance to Development: 8.17km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm





Hill of Towie II


Edintore

Wireline Drawing



OS reference: 332598 840894
 Eye Level: 168m AOD
 Direction of view: 43°
 Distance to Development: 8.17km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm




Wind Farm Status
 Turbine Colour Key





Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing - Proposed Craig Watch Turbines Shown In Red

Figure: 3.16a
 Cultural Heritage Viewpoint 7: Craig Dorney
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




Wind Farm Status
 Turbine Colour Key

- ✦ Operational
- ✦ Consented
- ✦ Application
- ✦ Scoping

OS reference: 340444 835367
 Eye Level: 402m AOD
 Direction of view: 263°
 Distance to Development: 0.98km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/03/2022 14:39






Baseline Photograph

This image provides landscape and visual context only




Wireline Drawing



OS reference: 340444 835367
 Eye Level: 402m AOD
 Direction of view: 353°
 Distance to Development: 0.98km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/03/2022 14:39



Wind Farm Status
 Turbine Colour Key



Figure 3.16b
 Cultural Heritage Viewpoint 7: Craig Dorney



Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing

Figure: 3.16c
 Cultural Heritage Viewpoint 7: Craig Dorney
Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report




Wind Farm Status
 Turbine Colour Key

Operational	Consented	Application	Scoping

OS reference: 340444 835367
 Eye Level: 402m AOD
 Direction of view: 83°
 Distance to Development: 0.98km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm


Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/03/2022 14:39






Baseline Photograph

This image provides landscape and visual context only



Wireline Drawing


View flat at a comfortable arm's length



OS reference: 340444 835367
 Eye Level: 402m AOD
 Direction of view: 173°
 Distance to Development: 0.98km

Horizontal field of view: (90° cylindrical projection)
 Principal distance: 812.5mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/03/2022 14:39



Wind Farm Status
 Turbine Colour Key






Figure: 3.16e
 Cultural Heritage Viewpoint 7: Craig Dorney
 Craig Watch Wind Farm Environmental Impact Assessment (EIAR) Report



OS reference: 340444 835367
 Eye Level: 402m AOD
 Direction of view: 263°
 Distance to Development: 0.98km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5mm
 Paper size: 841 x 297 mm
 Correct printed image size: 820 x 260 mm

Camera: Nikon D750
 Lens: 50mm (Nikon AF 50mm f/1.4)
 Camera height: 1.5m AGL
 Date and time: 01/03/2022 14:39

View flat at a comfortable arm's length



Photomontage

View flat at a comfortable arm's length

OS reference:	340444 835367	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon D750
Eye Level:	402m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon AF 50mm f/1.4)
Direction of view:	263°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	0.98km	Correct printed image size:	820 x 260 mm	Date and time:	01/03/2022 14:39

